


Fiber Protection Sleeves



Type Variation



FP-03



FPS01-400-12



FPS01-900-15



FP-03(L=40)



FPS01-400-15



FPS01-900-20



FP-04(T)



FPS01-400-20



FPS01-900-25



FP-05



FPS01-400-25



FPS01-900-34



FPS04-30



FPS01-400-34



FPS01-900-45



FPS08-28



FPS01-400-40




FPS24-40

Full-scale

Fiber Protection Sleeves

Specifications			
Material	Outer tube	FP-03 series / FPS01 series	Polyolefin based on Polyethylene
		FP-04(T) / FP-05	Ethylene-Vinyl Acetate
		FPS04-30 / FPS08-28 / FPS24-40	Polyolefin based on Polyethylene
	Inner tube		Ethylene-Vinyl Acetate
	Strength member	FP-03 series / FPS01 series	Stainless steel
		FP-04(T) / FP-05	Quartz glass
FPS04-30/FPS08-28/FPS24-40		Quartz glass	
Operation condition (after shrink)			-10 to 50 deg C, 0 to 95%RH (Non dew)
Storage condition (before shrink)			-40 to 60 deg C, Non dew



Model	Dimensions			Applicable fibers		
	Sleeve length	Strength member length	Diameter after shrink	Fiber count	Recommended cleave length	Coating diameter
FP-03	60mm	60mm	3.1mm	Single	16mm	0.25mm to 0.9mm
FP-03(L=40)	40mm	40mm	3.1mm	Single	10mm	0.25mm to 0.9mm
FP-04(T)	40mm	40mm	4.0mm	2 to 8	10mm	0.25mm (thickness)
FP-05	40mm	40mm	4.5mm x 4.0mm	2 to 12	10mm	0.25mm (thickness)
FPS04-30	30mm	30mm	2.4mm	2 to 4	10mm	0.25mm (thickness)
FPS08-28	28mm	28mm	3.3mm x 2.7mm	2 to 8	10mm	0.25mm (thickness)
FPS24-40	40mm	40mm	8.0mm x 4.0mm	2 to 24	10mm	0.25mm (thickness)
FPS01-400-12	12mm	13mm	1.5mm	Single	4mm	up to 0.4mm
FPS01-400-15	15mm	16mm	1.5mm	Single	5mm	up to 0.4mm
FPS01-400-20	20mm	21mm	1.5mm	Single	8mm	up to 0.4mm
FPS01-400-25	25mm	26mm	1.5mm	Single	10mm	up to 0.4mm
FPS01-400-34	34mm	35mm	1.5mm	Single	15mm	up to 0.4mm
FPS01-400-40	40mm	41mm	1.5mm	Single	16mm	up to 0.4mm
FPS01-900-15	15mm	16mm	2.3mm	Single	4mm	up to 0.9mm
FPS01-900-20	20mm	21mm	2.3mm	Single	6mm	up to 0.9mm
FPS01-900-25	25mm	26mm	2.3mm	Single	6mm	up to 0.9mm
FPS01-900-34	34mm	35mm	2.3mm	Single	13mm	up to 0.9mm
FPS01-900-45	45mm	46mm	2.3mm	Single	16mm	up to 0.9mm

Specifications and descriptions are subject to change without prior notice.

Fujikura Ltd.

1-5-1, Kiba, Koto-ku, Tokyo 135-8512, Japan
Phone : +81-3-5606-1164 Fax : +81-3-5606-1534 <http://www.fujikura.co.jp>

Fujikura Asia Ltd.

460, Alexandra Road, #22-01 PSA Bldg., Singapore 119963
Phone : +65-6-271-1312 Fax : +65-6-278-0965 <http://www.fujikura.co.sg>

Fujikura Europe Ltd.

C51 Barwell Buisiness Park, Leatherhead Road, Chessington, Surrey KT9 2NY, UK
Phone : +44-20-8240-2000 Fax : +44-20-8240-2010 <http://www.fujikura.co.uk>

AFL Telecommunications

260, Parkway East, Duncun, SC29334, USA
Phone : +1-800-235-3423 Fax : +1-800-926-0007 <http://www.afltele.com>